



---

*A Complete House of False Ceiling Materials*

---



# PRODUCT CATALOGUE



A Complete House of False Ceiling Materials

## ABOUT US

- **ACHIEVED AWARDS**
- **CONCEPT OF FALSE CEILING**
- **STANDARD GYPSUM BOARD**
- **MOISTURE RESISTANT GYPSUM BOARD**
- **GYPROYALE METAL FRAMING**
- **ULTRA LINE PRIME METAL FRAMING**
- **GYPSPECTRA METAL FRAMING**
- **METAL FRAMING ACCESSORIES**
- **GYPSTAR PARTITION CHANNEL**
- **GYPSTAR T-GRID**
- **PVC LAMINATED GYPSUM CEILING TILES**
- **GYPSTAR FULL TONE TILE**
- **GYPSTAR METAL CEILING TILE**
- **JOINTING & FINISHING**

# ACHIEVED AWARDS



Sanjay Singh / Ajay Singh / Sameer Singh from Gypstar India Private Limited achieved the **ABP NEWS - BUSINESS CONCLAVE AWARD (2023)** for the False Ceiling Category from Shri Gajendra Singh Shekhawat



Sanjay Singh / Ajay Singh / Sameer Singh from Gypstar India Private Limited achieved the **DAINIK JAGRAN - PLATINUM BUSINESS AWARD (2022)** for the False Ceiling Category from Hon'ble Minister General V.K. Singh (Retd.)



## A SHORT STORY

Gypstar India Private Limited was founded in 2006 by Founder Mr. Sanjay Singh and Mr. Ajay Singh.

Gypstar is a pioneering force in the False Ceiling Industry. Gypstar is more than a company, it's a commitment to professional satisfaction. Our commitment to providing 'Best Quality at Best Price' has resonated with the Indian market establishing us as a brand synonymous with excellence.

Gypstar's Corporate Office is in New Delhi, Regional Office in Kolkata and Branch Offices are located at Guwahati, Morbi and Patna.

## POLICY QUALITY

GYPSTAR INDIA PRIVATE LIMITED is "A Complete House of False Ceiling Materials" engaged in trading and supplying a wide range of "False Ceiling Materials". All our products are made with best quality and precision as they are sourced from well known manufacturers who Develop Products that follow International Standards and Parameters.

As we continue to Grow and Evolve, GYPSTAR Remains Dedicated to Innovation, Quality and Customer Satisfaction.

## STRENGTH

The STRENGTH OF THE COMPANY defines through very much strong base of dealers and distributors and providing best quality and best price which leads to professional satisfaction and therefore the products are widely growing since its inception.

## VISION

At Gypstar, it starts with best quality, continues with better design and carries through better factories and shipping method; all with the philosophy that our clients deserve better.



## MISSION

To be the best brand in false ceiling industry, delivering on our promises and together respect in our relationship with the customers.

## VALUE

Respect, Integrity, Quality and Diversification of our service to our customers.

# CONCEPT OF FALSE CEILING

False Ceiling is one of the most important elements of your home as it offers minimum unobstructed view of any interior space. False ceiling is mainly used to add an aesthetic view to your house, office or buildings. False Ceiling has several performance benefits.

A designer look for your homes & a style statement that reflects your personality

**Lighting Options:** False Ceiling can truly light up your home by opening up options such as spot lighting (white light for reading) & mood or diffused lighting (for parties or a relaxed atmosphere)

**Concealed Wiring:** Wiring for overhead fixtures like fans, lights, air-conditioners can be easily routed between the false ceiling & the soffit. This eliminates the need for a tangle of wires on your ceiling & enhances the look of your home.

**Energy Efficiency:** False Ceiling reduces the air volume of a room & as a result the air conditioning load. So you end up paying lower power bills.

**Thermal Insulation:** False Ceiling provides thermal insulation by creating an air gap between the soffit & the false ceiling. This makes the room much cooler.

**Sound Insulation:** A common problem in an apartment complex is the sound coming from the apartments above. False ceiling reduces this sound by providing an insulating surface between your home & one above.





*A Complete House of False Ceiling Materials*

# A GLANCE AT OUR PRODUCTS

## Standard Gypsum Board

### Features

Standard Board for interior wall & Ceilings application.

Application	Suitable Mainly for False Ceiling
Board Colour	White face paper  Grey reverse side 
Standards & Certification	IS 2095 - Part 1, 2011
Thickness	12mm
Width	1220
Length	1830/2440
Edge Detail	TE/SE

**GYPSTAR**<sup>®</sup>  
Ceiling System

STANDARD GYPSUM BOARD  
ISO 9001 : 2015 Certified Company

**GYPSTAR**<sup>®</sup>  
Ceiling System  
GYPSTAR INDIA PRIVATE LIMITED



STANDARD GYPSUM BOARD  
ISO 9001 : 2015 Certified Company

**GYPSTAR**<sup>®</sup>  
Ceiling System

STANDARD GYPSUM BOARD  
ISO 9001 : 2015 Certified Company





# A GLANCE AT OUR PRODUCTS

## Moisture Resistant Gypsum Board



### Features

Moisture Resistant Board for interior wall & Ceilings application.

Application	Suitable Mainly for False Ceiling
Board Colour	Green face paper  brown reverse side 
Standards & Certification	IS 2095 - Part 1, 2011
Thickness	12mm
Width	1220
Length	1830/2440
Edge Detail	TE/SE

**GYPSTAR**<sup>®</sup>  
Ceiling System

1 PAIR

MOISTURE RESISTANT GYPSUM BOARD  
ISO 9001:2015 Certified Company

**GYPSTAR**<sup>®</sup>  
Ceiling System  
GYPSTAR INDIA PRIVATE LIMITED



# A GLANCE AT OUR PRODUCTS

## Gyproyale™ Metal Framing

### Gypstar metal framing process

Gypstar G.I. Channel is manufactured through a cold pre-forming process that locally work-hardens the base material & provides great strength to the false ceiling & drywall systems.

### Ceiling Angle



#### Description

To provide suspensions from the structural soffit

(Dimension in (mm) 25x15x0.40x3660

### Perimeter Channel



#### Description

Fix around walls/partitions

(Dimension in (mm) 20x25x27x0.40x3660

### Intermediate Channel



#### Description

Primary section to support the ceiling section

(Dimension in (mm) 25x45x15x0.65x3660

### Ceiling Section



#### Description

The main supporting section to fix plaster board

(Dimension in (mm) 75x40x26x0.40x3660



# A GLANCE AT OUR PRODUCTS

## Ultra Line Prime™ Metal Framing

### Gypstar metal framing process

Gypstar G.I. Channel is manufactured through a cold pre-forming process that locally work-hardens the base material & provides great strength to the false ceiling & drywall systems.

### Ceiling Angle




#### Description

To provide suspensions from the structural soffit

(Dimension in (mm) 25x15x0.50x3660)

### Perimeter Channel




#### Description

Fix around walls/partitions

(Dimension in (mm) 20x25x27x0.50x3660)

### Intermediate Channel




#### Description

Primary section to support the ceiling section

(Dimension in (mm) 25x45x15x0.80x3660)

### Ceiling Section



#### Description

The main supporting section to fix plaster board

(Dimension in (mm) 75x40x26x0.50x3660)


# A GLANCE AT OUR PRODUCTS

## Gypspectra™ Metal Framing

### Gypstar metal framing process

Gypstar G.I. Channel is manufactured through a cold pre-forming process that locally work-hardens the base material & provides great strength to the false ceiling & drywall systems.

### Ceiling Angle



#### Description

To provide suspensions from the structural soffit

(Dimension in (mm) 25x15x0.40x3660

### Perimeter Channel




#### Description

Fix around walls/partitions

(Dimension in (mm) 17x23x27x0.40x3660

### Intermediate Channel



#### Description

Primary section to support the ceiling section

(Dimension in (mm) 15x45x15x0.60x3660

### Ceiling Section



#### Description

The main supporting section to fix plaster board

(Dimension in (mm) 65x25x38x0.40x3660

# A GLANCE AT OUR PRODUCTS

## Metal Framing Accessories

### Gypstar Metal Frame advantages:

- Increased load carrying capacity of as high as 32% to 36%
- Improved Screw retention of 15% to 17% & increased spring tension of more than 30%
- Faster, safer & easier to install & cut
- Improved acoustic performance & fire resistance

### Rawl Plug



#### APPLICATION

Expandable fastener to hold the ceiling

Description (Dimension in (mm))

**45x8**

### Rawl Plug




#### APPLICATION

Expandable fastener to hold the ceiling

Description (Dimension in (mm))

**50X12**

### Soffit Cleat




#### APPLICATION

To hold the ceiling angle/MS Flat/ Level clip for suspension of framework from the structural soffit

Description (Dimension in (mm))

27x37x25x1.6  
27x37x25x1.4

### Connecting Clip



#### APPLICATION

Used to connect ceiling section or U section to intermediate channel

Description (Dimension in (mm))

**Φ 2.5**



# A GLANCE AT OUR PRODUCTS

## Metal Framing Accessories

### Gypstar Metal Frame advantages:

- Increased load carrying capacity of as high as 32% to 36%
- Improved Screw retention of 15% to 17% & increased spring tension of more than 30%
- Faster, safer & easier to install & cut
- Improved acoustic performance & fire resistance

### Drywall Screw



#### APPLICATION

Self tapping trumpet head screw with case hardened grey phosphate coating  
To fix plasterboard to metal framework

#### Description (Dimension in (mm))

3.5x19, 3.5x25,  
3.5x38, 3.5x50, 3.5x60, 3.5x75

### Metal to Metal Screw




#### APPLICATION

Used to connect two metal sections together  
Zinc plated metal screw with wafer cross head and drilling point.

#### Description (Dimension in (mm))

4.2x13

### Wall Plug




#### APPLICATION

Used for hanging perimeter channel

#### Description (Dimension in (mm))

35x8, 50x8

### Nut Bolt



#### APPLICATION

Used for holding soffit cleat and angle together

#### Description (Dimension in (mm))

16.80 x 12


# A GLANCE AT OUR PRODUCTS



## Gypstar® Partition Channel

### Floor Channel

### Stud Channel




#### Description

Used as the vertical support in wall framing

(Dimension in (mm))

**50x32x32x0.50x3660**



#### Description

Used as the vertical support in wall framing

(Dimension in (mm))

**48x34x36x0.50x2745 / 48x34x36x0.50x3050 /  
48x34x36x0.50x3660**

*A Complete House of False Ceiling Materials*

# A GLANCE AT OUR PRODUCTS

## Gypstar® T-Grid

### Gypstar® Main-Tee




#### APPLICATION

The main runner supports the installation of cross-tees from one simple inventory of main runners. The system is available in 24mm width.

The Main Runner with clip provide a quick & easy assembled main runner to main runner connection.

**Description (Dimension in (mm))**  
38x24x0.30x3600 / 32x24x0.25x3600

### Gypstar® Cross-Tee



#### APPLICATION

Cross-Tee to be inserted in Main-Tee section to form modules of size 600x600 and 600x1200 to lay in title of required sizes.

#### Description (Dimension in (mm))

26x24x0.25x1200 / 26x24x0.25 x 600  
28x24x0.30x1200 / 28 x 24x0.30x600

### Gypstar® Wall Angle




#### APPLICATION

Wall Angle is periphery of wall/partition with screws.

**Description (Dimension in (mm))**  
22x22x0.40x3000

### Gypstar® Level Clip



#### APPLICATION


To suspend Main T from the structural soffit

**Description (Dimension in (mm))**  
Butterfly Clip:85x30x0.8mm Wire Rod 4




# A GLANCE AT OUR PRODUCTS

## PVC Laminated Gypsum Ceiling Tiles



**Dew Drop**




**Granular**

### Technical Specifications

<b>Materials</b>	Paper-faced Gypsum Board with PVC Film back with Aluminium Foil
<b>Thickness</b>	7mm/9mm
<b>Size</b>	595x595mm
<b>Size Tolerance</b>	A) Length<-2mm B) Width +-2mm C) Thickness<+/-0.5mm
<b>Thermal Conductivity</b>	0.24W/Mk
<b>Sound Insulation</b>	0.08M5K/W
<b>Surface Spread of Flame</b>	CLASS 1
<b>Designs</b>	Dew Drop & Granular
<b>Edge</b>	S/E

# A GLANCE AT OUR PRODUCTS

## Gypstar® -Full Tone Tile



### Characterstics


Full Tone Tiles are produced from Gypsum Board which are manufactured as per IS:2095 Part-1. Full Tone Tiles have full sqare holes in regular pattern and is backed with a special non-woven lining, which provides excellent sound absorpion properties with insulation materials.

### Technical Specifications

PROPERTY	UNIT	VALUE
Tile Dimensions	mm	595x595
Tile Thickness	mm	12
Weight	Kg/m2	8.5
Hole Size	mm	9.7X9.7
Hole Spacing	mm	9.7(Distance B/w Holes)
Perforation Area	%	18
Colour	-	Unpainted paper liner(can be painted with an emusion paint After installation)

# A GLANCE AT OUR PRODUCTS

## Gypstar® -Metal Ceiling Tile



**Plain Metal Tiles**

**Perforated Metal Tiles**

## Technical Specifications

**Available**

T-24 Lay-in Exposed grid system with Plain Finish  
T-24 Lay-in Exposed grid system with Perforated design

**Size**

595X595mm

**Perforation**

1.8mm & 2.5mm diameter

**Colour**

White

**Light Reflection**

85%

**Noise Reduction  
Coefficient**

0.08M5K/W



# A GLANCE AT OUR PRODUCTS

## Jointing & Finishing

### Gypstar Jointing Element

Gypstar jointing element is exclusively available with different tapered & square edges. The joints of these boards can be joined & finished by using specially formulated jointing compound & fibre /paper tape.

### Gypstar® Jointing Element



#### APPLICATION

An Air-drying, Powdered Jointing Material is used in Jointing Compound.

It Provides Smooth Finish with Minimum/Zero Wastage.

**Description**  
**Dimension in (Kg)**  
**10Kg / 20Kg**

### Gypstar® Fiber Tape



#### APPLICATION

Fiber Tape is used for strong joints. It eliminates blisters & bubbles, Self-adhesive fibre tape.

**Description**  
**Dimension (Length & Width)**  
**70 Mtr. Rolls / 50 mm**  
**90 Mtr. Rolls / 50 mm**

*A Complete House of False Ceiling Materials*



GYPSTAR INDIA PRIVATE LIMITED

### **CORPORATE OFFICE:**

150, 1st Floor, Vats Complex, Pitampura, Delhi-110034 (INDIA)

Tel. : 91-11-47056916,

Mob.:+91 9818153657,+91 9899979057

Email : gypotech.solutions@gmail.com

### **REGIONAL OFFICE:**

178, 1st Floor, Amina Mansion, 159A Lenin Sarani, (Kolkata) – 700013

Mob: +91 9818153657,+91 8420199427

Email : gypotech.kolkata@gmail.com

### **BRANCH OFFICE:**

S.J. Road, Near Indian Bank, Athgaon, Guwahati-781008 ( Assam)

Mob: +91 70860 43891, +91 9435544553

Email : gypotech.guwahati@gmail.com

Plot No. 477, Near Krishna Niketan School Jakariyapur Jhali Rd, Jakariyapur,  
Patna-800007(Bihar)

Mob: +91 98181 53657, +91 9811403657

E mail: gypotech.patna20@gmail.com

Maruti Chamber, Shop No.-13, First Floor,Village - Timbdi, Morbi- 363641 (Gujrat)

Mob: +91 98181 53657 +91 9811403657

Email : gypotech.morbi2019@gmail.com

**visit us: [www.gypstar.in](http://www.gypstar.in)**

**E mail: [info@gypstar.in](mailto:info@gypstar.in),[contactus@gypstar.in](mailto:contactus@gypstar.in)**



*A Complete House of False Ceiling Materials*

*[www.gypstar.in](http://www.gypstar.in)*

**Customer Care : 1800-120-3657**